



DATE	NO.	REVISION




NOTES:
 1. DO NOT LOCATE JOINT WITHIN 4 FEET OF CORNER.
 2. PROVIDE JOINT AT MAXIMUM SPACING OF 12 FEET.
 3. COORDINATE LOCATION OF JOINTS W/ ARCHL DWGS.





CONTROL JOINT

NOTES:
 1. DO NOT LOCATE JOINT WITHIN 4 FEET OF CORNER.
 2. PROVIDE JOINT AT MAXIMUM SPACING OF 12 FEET.
 3. COORDINATE LOCATION OF JOINTS W/ ARCHL DWGS.




CONSTRUCTION JOINT




FOOTING STEP

CONSTRUCTION JOINT




6 TYPICAL SLAB ON GRADE STAIR




CONSTRUCTION JOINT NOTES:
 1. EXPOSE AGGREGATE OF FIRST CASTING BY SANDBLASTING OR RETARDING INITIAL SET AT THAT EDGE DURING THE FIRST CASTING.
 2. PRIOR TO THE SECOND CASTING, APPLY AN EPOXY BONDING AGENT TO EXPOSED AGGREGATE SURFACE TO ACHIEVE A 100% BOND.
 3. MAXIMUM SPACING BETWEEN CONSTRUCTION JOINTS IS 28' U.O.D.N.

7 TYPICAL SLAB CONSTRUCTION JOINT



8 TRENCH DRAIN



9 SECTION AT LOADING DOCK


10 SECTION AT SITE RETAINING WALL

David Garrett & Associates
 Engineering and Geology
 5105 Harbour Towne Drive, Raleigh, North Carolina 27604
 Email: david_garrett_jr@dmgspring.com 919-231-1818 (Office and Fax) 919-418-4375 (mobile)

PROJECT TITLE:
 RUTHERFORD COUNTY N.C.
 CENTRAL MSW FACILITY
 TRANSFER STATION UPGRADE
 PERMIT # 81-04T

DRAWING TITLE:
 FOUNDATION DETAILS

DESIGNED BY: EJK	DRAWN BY: KN
CHECKED BY: EJK	PROJECT NO.:
SCALE: AS NOTED	DATE: JULY 2012
FILE NAME: 20120440	DRAWING NO.:
SHEET NO.:	16
S5	S5



03/16/2012